



UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office
Address: COMMISSIONER FOR PATENTS
P.O. Box 1450
Alexandria, Virginia 22313-1450
www.uspto.gov

| APPLICATION NO. | FILING DATE | FIRST NAMED INVENTOR | ATTORNEY DOCKET NO. | CONFIRMATION NO. |
|--------------------------|-------------|----------------------|---------------------|------------------|
| 09/457,201 | 12/06/1999 | TERRY S. DAVISON | CB-7-1 | 7410 |
| 21394 | 7590 | 02/26/2004 | EXAMINER | |
| ARTHROCARE CORPORATION | | | MENDEZ, MANUEL A | |
| 680 VAQUEROS AVENUE | | | ART UNIT | |
| SUNNYVALE, CA 94085-3523 | | | PAPER NUMBER | |

3763

DATE MAILED: 02/26/2004

Please find below and/or attached an Office communication concerning this application or proceeding.

**UNITED STATES DEPARTMENT OF COMMERCE****U.S. Patent and Trademark Office**

Address: COMMISSIONER FOR PATENTS

P.O. Box 1450

Alexandria, Virginia 22313-1450

| | | | |
|---------------------------------|-------------|---|---------------------|
| APPLICATION NO./ CONTROL NO. | FILING DATE | FIRST NAMED INVENTOR / PATENT IN REEXAMINATION | ATTORNEY DOCKET NO. |
|---------------------------------|-------------|---|---------------------|

| |
|----------|
| EXAMINER |
|----------|

| | |
|----------|-------|
| ART UNIT | PAPER |
|----------|-------|

13

DATE MAILED:

Please find below and/or attached an Office communication concerning this application or proceeding.

Commissioner for Patents

The outcome of Reexamination No. 90/006,597 has a material bearing on the patentability of the claims disclosed in this Application. Since the prosecution of Reexamination 90/006,597 has not been completed, the prosecution of this application will continue to be suspended pending a final judgement of the cited Reexamination. Applicant should call this case up for action upon termination of the reexamination proceedings.

Manuel Mendez
Primary Examiner
Art Unit: 3763